Applicants: David Stern, et al.

Serial No.: 10/049,893 Filed: July 22, 2002

Page 2

is being timely filed.

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

1-41. (Canceled)

42. (Currently Amended) A method for preventing and/or treating a disease involving β -sheet fibril formation, other than Alzheimer's Disease, in a subject which comprises administering to the subject a bindinginhibiting amount of a compound other than sRAGE, which compound (i) comprises a fragment of sRACE and (ii) is capable of inhibiting binding of the β sheet fibril to RACE an amount of a soluble compound which comprises a V-domain of RAGE effective to inhibit binding of the β-sheet fibril to receptor for advanced glycation endproduct, wherein the β -sheet fibril is formed from an amyloid- β peptide selected from the group consisting of $\Lambda\beta$ (1-39), $\Lambda\beta$ (1-40), $\Lambda\beta$ (1-42) and Aβ (1-40) Dutch variant comprises amylin, amyloid A, transthyretin, cystatin C, or gelsolin, so as to thereby prevent and/or treat a the disease involving fibril formation other than Alzheimer's Disease in the subject.

43-58. (Canceled)

59. (Previously Presented) The method of claim 42, wherein

Applicants: David Stern, et al.

Serial No.: 10/049,893 Filed: July 22, 2002

Page 3

the subject is a mammal.

- 60. (Previously Presented) The method of claim 59, wherein the mammal is a human being.
- 61. (Previously Presented) The method of claim 59, wherein the administration is intralesional, intraperitoneal, intramuscular, intravenous, liposome mediated delivery, topical, nasal, oral, anal, ocular or otic delivery.

62-69. (Canceled)

- 70. (Previously Presented) The method of claim 42, wherein the β -sheet fibril comprises a peptide capable of forming amyloid.
- 71. (New) The method of claim 42, wherein the soluble compound comprises the V-domain of RAGE linked to an antibody or a portion of an antibody.
- 72. (New) The method of claim 42, wherein the soluble compound comprises the V-domain of RAGE linked to a portion of an antibody.
- 73. (New) The method of claim 42, wherein the portion of the antibody is a F_{ab} fragment.
- 74. (New) The method of claim 42, wherein the portion of the antibody is an F_c fragment.

Applicants: David Stern, et al.

Serial No.: 10/049,893 Filed: July 22, 2002

Page 4

- 75. (New) The method of claim 42, wherein the β -sheet fibril comprises amylin.
- 76. (New) The method of claim 42, wherein the β -sheet fibril comprises amyloid A.
- 77. (New) The method of claim 42, wherein the β -sheet fibril comprises transthyretin.
- 78. (New) The method of claim 42, wherein the β -sheet fibril comprises cystatin C.
- 79. (New) The method of claim 42, wherein the $\beta\text{-sheet}$ fibril comprises gelsolin.